

Analyse d'une enquête sur la sémantique des motifs séquentiels avec négation

Thomas Guyet



CNIA 2023

Outline

- 1 Introduction
- 2 Syntax and semantics of NSP
- 3 Design of the survey
- 4 Gathering survey answers and analysis
- 5 Conclusions

Sequential pattern mining

- A **sequence** s is an ordered set of events (or **itemsets**)

s_1	$\langle a(abc)(ac)d(cf) \rangle$
s_2	$\langle (ab)c(bc)(ae)(ad) \rangle$
s_3	$\langle eg(af)cbc(de) \rangle$

Sequential pattern mining

- A **sequence** s is an ordered set of events (or **itemsets**)
- A **sequential pattern** is a subsequence
 - containment relation: $p \preceq s$
 - inclusion of itemsets
 - gaps are allowed
 - example:
 - pattern $p = \langle a(bc)d \rangle$
 - embedding: mapping of a pattern on a sequence ($\langle 1, 2, 4 \rangle$, $\langle 1, 3, 5 \rangle$)

s_1	$\langle a(abc)(ac)d(cf) \rangle$
s_2	$\langle (ab)c(bc)(ae)(ad) \rangle$
s_3	$\langle eg(af)cbc(de) \rangle$

Sequential pattern mining

- Let \mathcal{D} be a set of sequences,
 - Frequent pattern mining:** Given a support threshold σ , find the complete set of sequential patterns with support above σ
 - the **support** of pattern \mathbf{p} in \mathcal{D} is the number of sequences in \mathcal{D} that contain \mathbf{p} :

$$\text{supp}(\mathbf{p}) = |\{s \in \mathcal{D} \mid \mathbf{p} \preceq s\}|$$

s_1	$\langle a(abc)(ac)d(cf) \rangle$	$\text{supp}(\langle a(bc)d \rangle) = 2$
s_2	$\langle (ab)c(bc)(ae)(ad) \rangle$	
s_3	$\langle eg(af)cbc(de) \rangle$	

Motivation for Negative Sequential Patterns

Positivism of frequent sequential pattern mining

Frequent pattern mining algorithms extract only patterns as subsequences that actually occur!

Problem with frequent sequential pattern mining

- Dataset with hidden frequent patterns
 - $\text{sympt}_1 \rightsquigarrow \dots \rightsquigarrow \text{sympt}_n \rightsquigarrow \text{disease}$
 - $\text{sympt}_1 \rightsquigarrow \dots \rightsquigarrow \text{drug} \rightsquigarrow \dots \rightsquigarrow \text{sympt}_n$
 - disease appears only when no drug has been taken
- extracted pattern
 - $\text{sympt}_1 \rightsquigarrow \dots \rightsquigarrow \text{sympt}_n$
 - **not really useful for our problem**

What kind of pattern would be interesting?

- patterns that may highlight the **absence** of an item (the so-called *negative items*)
 - $\text{sympt}_1 \rightsquigarrow \dots \rightsquigarrow \text{no drug} \rightsquigarrow \dots \rightsquigarrow \text{sympt}_n \rightsquigarrow \text{disease}$

Negative sequential patterns in the State of the Art

- Few algorithms extract negative sequential patterns
 - eNSP [CDZ16] and its variants
 - NegGSP [ZZZC09]
 - Gong et al [GLD15]
 - PNSP [HLC08]
 - NegPSpan [GQ20]
- Analysis of the state of the art [BG20]
 - **State of the art algorithms do not extract the same patterns**
 - There are **several semantics for patterns with negation** in sequences of itemsets

Our research questions

- 1 Are there “intuitive” semantics for patterns with negation?
- 2 Do the “intuitive” semantics correspond to those actually used by one of the algorithms?
- 3 What recommendations about the use of patterns with negations?

Methodology: survey about the perception of negation in NSP

- 1 Identification of alternative interpretations of the negation
 - We adhere to the analysis of Besnard and Guyet [BG20]
⇒ $2^3 = 8$ possible semantics: two alternative perceptions for 3 dimensions
- 2 Design of the survey
 - Should be answered by people without preliminary knowledge about pattern mining
 - Characterization of interviewed
 - Attempt to capture additional bias
 - Anonymity
- 3 Collection of answers
 - Broadcast on national and international mailing lists (in DM and AI)
 - Broadcast to people (personal circles) without preliminary knowledge in data science
 - Attempt to have a broad range of people (*not assessed*)
- 4 Analysis of the survey answers

Outline

- 1 Introduction
- 2 Syntax and semantics of NSP**
- 3 Design of the survey
- 4 Gathering survey answers and analysis
- 5 Conclusions

Negative patterns: a syntactic definition [BG20]

We take \mathcal{I} to denote the set of possible items.

Definition (Negative sequential patterns (NSP))

A negative pattern $\mathbf{p} = \langle p_1 \neg q_1 p_2 \neg q_2 \dots p_{n-1} \neg q_{n-1} p_n \rangle$ is a finite sequence where $p_i \in 2^{\mathcal{I}} \setminus \emptyset$ for all $i \in [n]$ and $q_i \in 2^{\mathcal{I}}$ for all $i \in [n-1]$.

Syntactic limitations on negative sequential patterns

- an NSP can neither start nor finish with a negative pattern,
- an NSP cannot have two successive negative itemsets,
- an NSP cannot specify positive and negative items in the same position.

We take \mathcal{N} to denote the set of negative sequential patterns.

Semantics of NSP

!!! Spoiler Alert !!!

Do not listen the end of this talk if you want
contribute to the survey !

<https://tinyurl.com/NegativePatternsSurvey>

Semantics of NSP [BG20]

- The **containment relation** between an NSP p and a sequence s defines the **semantics** of NSPs
 - ↪ Different containment relations lead to different support measures for a pattern, and thus negative sequential pattern mining algorithms does not extract the same pattern set.

8 possible semantics depending on how to consider

- partial vs total itemset non-inclusion
- soft vs strict embeddings
- weak vs strong occurrences

Partial/total itemset non-inclusion

$$p_2 = \langle b \neg(cd) a \rangle$$

$$\mathcal{D}_1 =$$

$$\begin{aligned}
 s_1 &= \langle b f a \rangle \\
 s_2 &= \langle b (cf) a \rangle \\
 s_3 &= \langle b (df) a \rangle \\
 s_4 &= \langle b (ef) a \rangle \\
 s_5 &= \langle b (cdef) a \rangle
 \end{aligned}$$

Partial non-inclusion ($\not\subseteq_G$)

$$\begin{aligned}
 s_1 &= \langle b f a \rangle \\
 s_2 &= \langle b (cf) a \rangle \\
 s_3 &= \langle b (df) a \rangle \\
 s_4 &= \langle b (ef) a \rangle \\
 s_5 &= \langle b (cdef) a \rangle
 \end{aligned}$$

Total non-inclusion ($\not\subseteq_D$)

$$\begin{aligned}
 s_1 &= \langle b f a \rangle \\
 s_2 &= \langle b (cf) a \rangle \\
 s_3 &= \langle b (df) a \rangle \\
 s_4 &= \langle b (ef) a \rangle \\
 s_5 &= \langle b (cdef) a \rangle
 \end{aligned}$$

Soft/strict-embeddings

$$p_3 = \langle a \neg(bc)d \rangle$$

$$\mathcal{D}_2 =$$

$$s_1 = \langle a c b e d \rangle$$

$$s_2 = \langle a (bc) e d \rangle$$

$$s_3 = \langle a b e d \rangle$$

$$s_4 = \langle a e d \rangle$$

soft-embedding \circ

$(\forall j \in [e_{i-1} + 1, e_{i+1} - 1], q_i \not\subseteq s_j)$:

$$s_1 = \langle a c b e d \rangle$$

$$s_2 = \langle a (bc) e d \rangle$$

$$s_3 = \langle a b e d \rangle$$

$$s_4 = \langle a e d \rangle$$

strict-embedding, \bullet

$(q_i \not\subseteq \bigcup_{j \in [e_{i-1} + 1, e_{i+1} - 1]} s_j)$:

$$s_1 = \langle a c b e d \rangle$$

$$s_2 = \langle a (bc) e d \rangle$$

$$s_3 = \langle a b e d \rangle$$

$$s_4 = \langle a e d \rangle$$

Weak/strong occurrences

$$p_4 = \langle ab \neg cd \rangle$$

$$\mathcal{D}_3 =$$

$$s_1 = \langle a b e d \rangle$$

$$s_2 = \langle a b c d e b d \rangle$$

$$s_3 = \langle a e d b e d d \rangle$$

$$s_4 = \langle a e d b c e d \rangle$$

weakly-occur, \preceq (*there exists*):

$$s_1 = \langle a b e d \rangle$$

$$s_2 = \langle a b c d e b d \rangle, \langle a b c d e b d \rangle$$

$$s_3 = \langle a e d b e d d \rangle, \langle a e d b e d d \rangle$$

$$s_4 = \langle a e d b c e d \rangle$$

strongly-occur, \sqsubseteq (*for each positive*):

$$s_1 = \langle a b e d \rangle$$

$$s_2 = \langle a b c d e b d \rangle, \langle a b c d e b d \rangle$$

$$s_3 = \langle a e d b e d d \rangle, \langle a e d b e d d \rangle$$

$$s_4 = \langle a e d b c e d \rangle$$

Outline

- 1 Introduction
- 2 Syntax and semantics of NSP
- 3 Design of the survey**
- 4 Gathering survey answers and analysis
- 5 Conclusions

Overall organisation of the survey

- 1 Evaluation of the level of knowledge in the domain of pattern mining and/or logic
 - self-assessment of the background knowledge about pattern mining
 - identification of specific skills (computer science, data science, logic)
 - 2 Preliminary check of the understanding of the basics of (positive) sequential patterns
 - One verification question: **the user can not access the next questions until s/he correctly answered it**
 - 3 5 questions about the semantics
 - scope of the negation
 - three dimensions of NSP's semantics: non-inclusion, embeddings, occurrences
 - *(one question about the strength of negation vs multiplicity)*
- More details about the questions are provided in the article
 - Survey: <https://tinyurl.com/NegativePatternsSurvey>

Example of question: multiple occurrences

According to you, what are the sequences that contain the pattern $p = \langle b \neg e f \rangle$?

<i>id</i>	<i>Sequence</i>
\mathbf{o}_0	$\langle b a f d b d f \rangle$
\mathbf{o}_1	$\langle b a f d e b d f \rangle$
\mathbf{o}_2	$\langle d b e c a d f b d e f \rangle$
\mathbf{o}_3	$\langle b a f b a e f \rangle$

- The user is invited to decide whether a pattern is contained or not in a sequence (*implicit choice of semantics*)
- The examples have been carefully selected to reveal the interpretation of one dimension of the semantics of NSP

Example of question: multiple occurrences

According to you, what are the sequences that contain the pattern $p = \langle b \neg e f \rangle$?

<i>id</i>	<i>Sequence</i>
\mathbf{o}_0	$\langle b a f d b d f \rangle$
\mathbf{o}_1	$\langle b a f d e b d f \rangle$
\mathbf{o}_2	$\langle d b e c a d f b d e f \rangle$
\mathbf{o}_3	$\langle b a f b a e f \rangle$

- The user is invited to decide whether a pattern is contained or not in a sequence (*implicit choice of semantics*)
- The examples have been carefully selected to reveal the interpretation of one dimension of the semantics of NSP

- \mathbf{o}_0 , \mathbf{o}_1 and $\mathbf{o}_3 \implies$ weak occurrence
- $\mathbf{o}_0 \implies$ strong occurrence
- \mathbf{o}_1 is a trap ... and is ignored
- other combination of ticks \implies “other” semantics

Example of question: multiple occurrences

According to you, what are the sequences that contain the pattern $p = \langle b \neg e f \rangle$?

<i>id</i>	<i>Sequence</i>
\mathbf{o}_0	$\langle b a f d b d f \rangle$
\mathbf{o}_1	$\langle b a f d e b d f \rangle$
\mathbf{o}_2	$\langle d b e c a d f b d e f \rangle$
\mathbf{o}_3	$\langle b a f b a e f \rangle$

- The user is invited to decide whether a pattern is contained or not in a sequence (*implicit choice of semantics*)
- The examples have been carefully selected to reveal the interpretation of one dimension of the semantics of NSP

- \mathbf{o}_0 , \mathbf{o}_1 and $\mathbf{o}_3 \implies$ weak occurrence
- $\mathbf{o}_0 \implies$ strong occurrence
- \mathbf{o}_1 is a trap ... and is ignored
- other combination of ticks \implies “other” semantics

Two alternative visualisations

According to you, what are the sequences that contain the pattern $p = \langle b \neg a e \rangle$?

- $\langle f b d a c e \rangle$
- $\langle f b d f c e \rangle$
- $\langle d f b d c \rangle$
- $\langle d b d e a \rangle$
- $\langle f c b e d \rangle$

2/6

According to you, what are the sequences that contain the pattern $p = \langle \bullet \neg \blacktriangle \blacktriangledown \rangle$?

- $\langle \blacklozenge \blacklozenge \bullet \blacklozenge \blacktriangle \blacktriangledown \rangle$
- $\langle \blacklozenge \bullet \blacklozenge \blacklozenge \blacktriangle \blacktriangledown \rangle$
- $\langle \bullet \blacklozenge \blacklozenge \bullet \blacktriangle \rangle$
- $\langle \bullet \bullet \bullet \blacktriangledown \blacklozenge \rangle$
- $\langle \blacklozenge \blacktriangle \bullet \blacklozenge \blacktriangledown \bullet \rangle$

2/6

- Ease the use for uncomfortable people with formal notations
- Prevent from being influenced by an implicit order on events [commented by some surveyed people]

→ we did not collect the information about who used which notation!

Outline

- 1 Introduction
- 2 Syntax and semantics of NSP
- 3 Design of the survey
- 4 Gathering survey answers and analysis**
- 5 Conclusions

Gathering answers

Technical details

- survey in English
 - hosted on a personal website (no specific tools used)
-
- 124 survey answers fully filled
 - 54 knowledgeable in data science
 - 27 knowledgeable in pattern mining
 - 23 knowledgeable in logic
 - 40 without specific knowledge in one of these two fields
 - 82 researchers
-
- Survey answers form a large tabular datasets (mainly boolean values)
 - Analysis of answers with Formal Concept Analysis
 - Unsupervised identification of groups of people having the same kind of answers

Scope of the negation

Table: Result on the question about the scope of negation

Scope	Count	Percentage
Conform	101	81.4%
Conform except s_4	9	7.3%
Alternative	14	11.3%

- $\langle f a c e b \rangle$ contains $\langle c \neg d e \rangle$? Possible different semantic from above

$$\neg e \Leftrightarrow \exists s_i \in \mathbf{s}, i \in [\dots], s_i \neq e$$

→ no such situation in the other questions!

- We keep the 110 valid answers in the remaining of the analysis


Occurrence dimension

Interpretation	Count	Percentage
Weak relation	75	69.2%
Strong relation	33	28.2%
Other	2	3.6%

- 75 people in concept 3 (weak occurrences: o_0 , o_1 and o_3)
- 33 people in concept 1 (strong occurrences: o_0)

Conclusion

There are two alternative interpretations in the panel: 70% weak / 30% strong occurrences.




Non-inclusion dimension

Interpretation	Count	Percentage
Partial non-inclusion	100	90.9%
Total non-inclusion	3	2.7%
Other	7	6.4%

Conclusions

→ “Partial non-inclusion” seems to be the most intuitive notion for itemset non-inclusion.




Embedding dimension

Interpretation	Count	Percentage
Strict occurrence	97	88.2%
Soft occurrence	7	6.3%
Other	6	5.5%

Conclusion


→ the “soft-occurrence” interpretation dominates



Global analysis

Conclusions: there are mainly two semantics that are intuitively used

- Partial non-inclu, soft embedding, strong containment at 23.9%
- Partial non-inclu, soft embedding, weak containment at 69.8%
- The other semantics are marginally represented



Results' conclusions and recommendations

Conclusions

- There are mainly two semantics that are intuitively used
- No statistical significant difference between the groups of people (with the characteristics we collected)
- None of the state of the art algorithms fits to the intuition, because of the partial non-inclusion

Recommendations

- 1 use only singletons in the negations. In this case, partial and total non-inclusions are equivalent
- 2 develop an alternative adapted to a partial interpretation of the non-inclusion
 - extend preferably NegPSpan regarding its management of multiple occurrences that meets the intuition of a larger number of people
- 3 promote the use of different syntaxes for each semantics

Discussion (about the methodology)

Known limits of the methodology

- Is the surveyed population representative of potential users of pattern mining algorithms?
 - not enough questions to describe the population!
- Non-redundancy of the questions:
 - strengthen the assignment of an interpretation by multiple questions per dimension
- “Small” number of answers:
 - it is not so small ... and the results are clear
 - people have conscientiously answered the questions (very poor rate of weird answers)
- Bias in the presentation of basic notions of sequential patterns
- Questionnaire is closely linked to the analysis framework proposed by Besnard and Guyet [BG20], more specifically:
 - syntactic restrictions
 - 18.5% did not answer as expected to the scope question!
 - Long interviews could complement these results

Outline

- 1 Introduction
- 2 Syntax and semantics of NSP
- 3 Design of the survey
- 4 Gathering survey answers and analysis
- 5 Conclusions

Conclusions

Our initial research questions

- 1 Are there “intuitive” semantics for patterns with negation?
→ There are two dominant ones!
- 2 Do the “intuitive” semantics correspond to those actually used by one of the algorithms?
→ No, because of the partial non-inclusion
- 3 What are the recommendations on the use of patterns with negations?
→ extend NegPSpan with partial non-inclusion
→ promote the use of different syntaxes for each semantics

Is pattern mining an “interpretable” data analysis technique?

- pattern mining outputs easy to present results, but
- the existing NSP mining algorithms may leads to data/pattern misinterpretation
- their interpretation requires additional information to prevent from misinterpretation

Thanks for listening

Questions ?

!! We are hiring !! Join Inria Lyon and AstroSight Team ...

- PhD project 1: PDE's discovery for multiscale cell modeling
- PhD project 2: (Cifre Orange) Robust explainability

References |



Philippe Besnard and Thomas Guyet, *Semantics of negative sequential patterns*, Proceedings of the European Conference on Artificial Intelligence (ECAI), IOS Press, 2020, pp. 1009–1015.



Longbing Cao, Xiangjun Dong, and Zhigang Zheng, *e-NSP: Efficient negative sequential pattern mining*, Artificial Intelligence 235 (2016), 156–182.



Yongshun Gong, Chuanlu Liu, and Xiangjun Dong, *Research on typical algorithms in negative sequential pattern mining*, Open Automation and Control Systems Journal 7 (2015), 934–941.



Thomas Guyet and René Quiniou, *NegPSpan: efficient extraction of negative sequential patterns with embedding constraints*, Data Mining and Knowledge Discovery 34 (2020), no. 2, 563–609.



Sue-Chen Hsueh, Ming-Yen Lin, and Chien-Liang Chen, *Mining negative sequential patterns for e-commerce recommendations*, Proc. of Asia-Pacific Services Computing Conference, 2008, pp. 1213–1218.



Zhigang Zheng, Yanchang Zhao, Ziyue Zuo, and Longbing Cao, *Negative-GSP: An efficient method for mining negative sequential patterns*, Proc. of the Australasian Data Mining Conference, 2009, pp. 63–67.